

TCB**GRANT OF EQUIPMENT
AUTHORIZATION****TCB**

Certification
Issued Under the Authority of the
Federal Communications Commission
By:

Bay Area Compliance Laboratories Corp.
1274 Anvilwood Avenue
Sunnyvale, CA 94089

Date of Grant: 04/26/2023
Application Dated: 04/26/2023

NiceRF Wireless Technology LTD.
309-314, Bldg A, Hongdu business building, Xin'an
street, Zone 43, Baoan Dist, Shenzhen 518101
Shenzhen,,
China

Attention: GH. Song

NOT TRANSFERABLE

EQUIPMENT AUTHORIZATION is hereby issued to the named GRANTEE, and is
VALID ONLY for the equipment identified hereon for use under the Commission's Rules
and Regulations listed below.

FCC IDENTIFIER: 2AD66-DMR818S-U
Name of Grantee: NiceRF Wireless Technology LTD.
Equipment Class: Licensed Non-Broadcast Station Transmitter
Notes: Digital walkie talkie module
Modular Type: Single Modular

<u>Grant Notes</u>	<u>FCC Rule Parts</u>	<u>Frequency Range (MHZ)</u>	<u>Output Watts</u>	<u>Frequency Tolerance</u>	<u>Emission Designator</u>
EF	90	400.0 - 406.0	1.0	2.5 PM	11K0F3E
EF	90	406.1 - 470.0	1.0	2.5 PM	11K0F3E
EF ES	90	400.0 - 406.0	1.0	2.5 PM	7K60F1D
EF ES	90	406.1 - 470.0	1.0	2.5 PM	7K60F1D
EF ES	90	400.0 - 406.0	1.0	2.5 PM	7K60F1E
EF ES	90	406.1 - 470.0	1.0	2.5 PM	7K60F1E

Modular Approval. Output power listed is Maximum rated conducted. Minimum output setting is 0.5 W. This module is approved for use only in the mobile configurations associated with this filing. This grant is valid only when the module is sold to OEM integrators and must be installed by the OEM or OEM integrators. Only those antenna(s) tested with the device or similar antenna(s) with equal or lesser gain may be used with this transmitter. The antenna(s) used for this transmitter must be installed to provide a separation distance of at least 20 cm from all persons and must not be co-located or operating in conjunction with any other antenna or transmitter, except in accordance with FCC multi-transmitter product procedures. End-users may not be provided with the module installation instructions. Installation of this device into portable RF Exposure category host devices requires the submission of a Class II permissive change or new application. Compliance of this device in all final host configurations is the responsibility of the Grantee.

EF: This device may contain functions that are not operational in U.S Territories except as noted in the filing. This grant has extended frequencies as noted in the filing and Section 2.927(b) applies to this authorization.

ES: This equipment is capable of supporting a minimum data rate of 4800 bits per second per 6.25 kHz of channel bandwidth.